

Manufacturer: Everstar Photoelectric HK Holding Limited in Shenzhen P.R.C

Model/Type reference: ES-PL6060EA4-40

Item Number: 100071

General visual check:

- Clear and complete verification of the product
- With every visual inspection of the product , it is also important to check the electrical connecting cable and surface for damage mechanical and chemical such as scratches or blisters

All included components :

- 1 x Datasheet
- 1 x Manual
- 1 x Complete accessories
- All detailed content for datasheet and manual should be taken from the current order
- Put everything in plastic bags, please

Product safety:

- Take all safety-related facts from the current test report


Product label:

- Take all detailed content from the current order

1.1 Product picture




1.2 Product picture



1.3 Product picture



1.4 Surface




1.5 Protection system



- Panel without driver
- Protection Class: Class III
- Degree of protection: IP20


1.6 Cable



- Label the cable ends, see above picture
- AWG 20 cable
- There should be a cord anchorage
- Rubber on the cable entry
- All open cable ends should be galvanized not soldered



1.7 Layers




1.8 LED



- There is an improvement, take data from current order

1.9 Warning signs




- The size is 70X36
- The label should be good legible and visible
- Take over the content of the two pictures

1.10 Product label



- Attach the stickers on the cable
- Take all data for the labeling from the current order and general instruction

1.11 Product label



- Take all data for the labeling from the current order and general instruction